



10 YEAR WARRANTY
CONDITIONS APPLY

FRAMELESS GLASS POOL FENCING

Our glass pool fencing adds a touch of style, class and value to any home while still offering the highest safety for your family regardless if you are updating an older pool area or building a new one.



Our toughened glass is supplied with the Australian Standards Stamp giving you the peace of mind that it complies with the Australian Safety Glass Standard AS2208



Our huge range of panel and gate sizes makes this modular glass pool fencing system simple to install, easily accommodating even the toughest of site plans



Custom glass panels, retaining wall panels, and gates are all available on request to ensure your glass pool fence complies with Australian Pool Safety Standards AS1926.1 (2012)



FREE
temporary
fencing

FREE
personalised
computer
drawings

STAINLESS STEEL SPIGOTS



SUITABLE USAGE:

- All our Pool Fencing exceeds Australian Pool Safety Standards AS1926.1 (2012)
- All Spigots are marine grade 2205 polished stainless steel. Satin or polished finish. Non earthing spigots also available
- **On Slab** - Using our base plated Spigots and either concrete or timber fixings
- **Core Drilled** - Using our specifically design Core Drill Spigots and grouting them in place
- Foundations may be required under paving

PANEL DETAILS:

- All panels are made from quality 12mm Toughened Safety Glass and are all 1200mm high
- All Standard gates are made from quality 8mm Toughened Safety Glass and are all 1200mm high
- All Hydraulic gates are made from quality 12mm Toughened Safety Glass and are all 1200mm high
- 800mm, 850mm and 900mm gate sizes
- Glass ranges from 100mm to 2000mm in length

10 YEAR WARRANTY
CONDITIONS APPLY



SEMI-FRAMELESS GLASS POOL FENCING

Our range of Semi-Frameless Glass Pool Fencing is now also available in high quality stainless steel marine grade 316 posts instead of Aluminium. Please ask our representative for more information.



Our toughened glass is supplied with the Australian Standards Stamp giving you the peace of mind that it complies with the Australian Safety Glass Standard AS2208 (2012)



Our large range of modular 10 mm or 12 mm Toughened Glass panels allows you to use any combination of sizes to suit your requirements





Custom glass panels, retaining wall panels, and gates are all available on request to ensure your glass pool fence complies with Australian Pool Safety Standards AS1926.1 (2012)

FREE
temporary
fencing

FREE
personalised
computer
drawings

AVAILABLE COLOURS



SUITABLE USAGE:

- All our Pool Fencing exceeds Australian Pool Safety Standards AS1926.1 (2012)
- Posts can be installed in three ways:
- **In Ground** - Using our 1800mm long posts
- **On slab** - Using our flanged posts and either concrete or timber fixings
- **Core Drilled** - Using our 1400mm posts and grouting them in place and cover rings to hide holes

PANEL DETAILS:

- All panels are made from quality Toughened Safety Glass and are all 1200mm high, and width sizes
- 800mm, 850mm and 900mm gate sizes
- **50 x 50 Glazing Posts are available in 4 varieties:**
 - 1-Way
 - 2-Way
 - 135°
 - Corner
- **And the following lengths:**
 - 1800mm (In Ground)
 - 1250mm (On Slab)
 - 1400mm (Core Drilled)

STANDARD HINGE GATE KIT GLASS TO GLASS SETUP



HYDRAULIC HINGE GATE KIT GLASS TO GLASS SETUP






Please note that Semi-frameless Pool Fencing is only available in Satin Black and Silver Pearl.

10 YEAR WARRANTY
CONDITIONS APPLY

10







YOUR HOME, YOUR IDEAS,
OUR EXPERTISE.

(08) 9300 0376 • PLATINUMBARRIERS.COM.AU

12MM X 1200MM TOUGHENED GLASS STANDARD PANEL SIZES

- All glass is available from 100mm to 2000mm standard sizes widths
- Custom glass and raked panels also available to meet any compliance requirement

8MM X 1200MM TOUGHENED GLASS STANDARD GATE SIZES

- All glass gates are 8mm toughened glass and available in 3 different sizes 800mm, 850mm and 900mm
- Hydraulic glass gates are 12mm toughened glass with custom cut for Polaris hinges

Care Instructions & Warranty:

Exposure to UV light pollution, salt deposits and chemicals can affect the long term performance of the fencing coating if not removed with regular washing. A regular monthly clean with a soft brush, warm water and mild detergent followed by a rinse of fresh water will maintain the finish of both powder coated Colorbond® Steel and stainless steel fencing components and fulfil warranty conditions.



10 YEAR WARRANTY
CONDITIONS APPLY

Interpon®
POWDER COATINGS



Disclaimer: Drawings not to scale. Products may change in design and shape subject to availability. © Copyright 2018.